

Fig. 1




Fig. 2




Fig. 3

20020325 12:59 FAX




Fig. 4




Fig. 5



Fig. 6





Fig. 7


**Fig. 8**


Wavelength (nm)	Drug Dose (μ mol/kg)	Light Dose (J)	Treatment Time (Post- Injection)	Max. Acell. (%)	Sur. Tissue Damage
665	0.1	106	4 hr	0	> 3
532	2.0	135	4 hr	60	2
514	2.0	137	4 hr	70	2
458	1.0	137	4 hr	57	2
442	1.0	125	4 hr	88	1.5


Fig. 9

Drug	Wavelength (nm)	Drug Dose	Light Dose (J)	Treatment Time (Post- Injection)	Max. Acell. (%)	Sur. Tissue Damage
BPD-MA (benzoporphyrin)	458	2 μ mol/kg	137	4 hr	60	2
LuTex (texaphrin)	458	4.5 mg/kg	300	24 hr	40	2
Rose Bengal 00902 (xanthene)	580	5 μ mol/kg	80	8 hr	43	2-3
MV6401 (chlorophyll)	458	1.0 μ mol/kg	137	4 hr	57	2
MV970205 (benzochlorin)	458	1.0 μ mol/kg	80	4 hr	37	2
MV000602 (porphyrin)	532	1.0 μ mol/kg	138	4 hr	90	2

Fig. 10

**Fig. 11**

**Fig. 12**

**Fig. 13**




Fig. 14



Fig. 15